

Alabama Department of Environmental Management
adem.alabama.gov

1400 Coliseum Blvd. 36110-2400 ■ Post Office Box 301463
Montgomery, Alabama 36130-1463
(334) 271-7700 ■ FAX (334) 271-7950

December 14, 2020

Colonel Sebastien P. Joly
Commander, Mobile District
U.S. Army Corps of Engineers
P.O. Box 2288
Mobile, AL 36628-0001

RE: Clean Water Act (CWA) Section 401 Water Quality Certification (WQC), U.S. Army Corps of Engineers (COE) 2020 Proposed Issuance of Alabama Nationwide Permits (ALNWP) For Activities Within the State of Alabama

Dear Colonel Joly:

This office has completed a review of the above-referenced notice and all associated materials submitted related to the proposed ALNWP. Any comments made during the public notice period have also been forwarded to the Department for review.

1. Aids to Navigation
2. Structures in Artificial Canals
3. Maintenance
4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities
5. Scientific Measurement Devices
6. Survey Activities
7. Outfall Structures and Associated Intake Structures
8. Oil and Gas Structures on the Outer Continental Shelf
9. Structures in Fleeting and Anchorage Areas
10. Mooring Buoys
11. Temporary Recreational Structures
12. Oil or Natural Gas Pipeline Activities
13. Bank Stabilization
14. Linear Transportation Projects
15. U.S. Coast Guard Approved Bridges
16. Return Water From Upland Contained Disposal Areas
17. Hydropower Projects
18. Minor Discharges
19. Minor Dredging
20. Response Operations for Oil or Hazardous Substances
21. Surface Coal Mining Activities
22. Removal of Vessels
23. Approved Categorical Exclusions
24. Indian Tribe or State Administered Section 404 Programs
25. Structural Discharges
26. [Reserved]
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities
28. Modifications of Existing Marinas



29. Residential Developments
30. Moist Soil Management for Wildlife
31. Maintenance of Existing Flood Control Facilities
32. Completed Enforcement Actions
33. Temporary Construction, Access, and Dewatering
34. Cranberry Production Activities
35. Maintenance Dredging of Existing Basins
36. Boat Ramps
37. Emergency Watershed Protection and Rehabilitation
38. Cleanup of Hazardous and Toxic Waste
39. Commercial and Institutional Developments
40. Agricultural Activities
41. Reshaping Existing Drainage Ditches
42. Recreational Facilities
43. Stormwater Management Facilities
44. Mining Activities
45. Repair of Uplands Damaged by Discrete Events
46. Discharges in Ditches
47. [Reserved]
48. Commercial Shellfish Mariculture Activities
49. Coal Remining Activities
50. Underground Coal Mining Activities
51. Land-Based Renewable Energy Generation Facilities
52. Water-Based Renewable Energy Generation Pilot Projects
53. Removal of Low-Head Dams
54. Living Shorelines
 - A. Seaweed Mariculture Activities
 - B. Finfish Mariculture Activities
 - C. Electric Utility Line and Telecommunications Activities
 - D. Utility Line Activities for Water and Other Substances
 - E. Water Reclamation and Reuse Facilities

Because action pertinent to WQC is required by Section 401(a)(1) of the CWA, 33 U.S.C. Section 1251, et seq., we hereby issue certification that there is reasonable assurance that the discharge resulting from the proposed activities as submitted will not violate applicable water quality standards established under Section 303 of the CWA and Title 22, Section 22-22-9(g), Code of Alabama, 1975, provided the applicant acts in accordance with the following conditions as specified. We further certify that there are no applicable effluent limitations under Sections 301 and 302 nor applicable standards under Sections 306 and 307 of the CWA in regard to the activities specified. This certification shall expire at the same time as the expiration date for the above-referenced Alabama Nationwide Permits for activities within the State of Alabama.

To minimize adverse impacts to State waters, by copy of this letter we are requesting the Mobile District Corps of Engineers to incorporate the following as special conditions as appropriate to the type, location, scope, duration, and potential impact of each activity in Alabama authorized by the COE NWP's:

1. During project implementation, the applicant shall ensure compliance with applicable requirements of ADEM. Admin. Code Chapter 335-6-6 [National Pollutant Discharge Elimination System (NPDES)], Chapter 335-6-10 (Water Quality Criteria), and Chapter 335-6-11 (Water Use Classifications for Interstate and Intrastate Waters).

2. ADEM permit coverage may be required prior to commencing and/or continuing certain activities/operations relating to or resulting from the project. If an applicant has any questions regarding ADEM regulated activity or the need for NPDES permit coverage, the applicant can contact ADEM's Water Division at (334) 271-7823. If an applicant has any questions regarding ADEM regulated activity or the need for air permit coverage, the applicant can contact ADEM's Air Division at (334) 271-7869. If the applicant has any questions regarding ADEM regulated activity or the need for hazardous, toxic, and/or solid waste permit coverage, the applicant can contact ADEM's Land Division at (334) 271-7730.
3. Upon the loss or failure of any treatment facility, Best Management Practice (BMP), or other control, the applicant shall, where necessary to maintain compliance with this certification, suspend, cease, reduce or otherwise control work/activity and all discharges until effective treatment is restored. It shall not be a defense for the applicant in a compliance action that it would have been necessary to halt or reduce work or other activities in order to maintain compliance with the conditions of this certification.
4. The applicant shall retain records adequate to document activities authorized by this certification for a period of at least three years after completion of work/activity authorized by the certification. Upon written request, the applicant shall provide ADEM with a copy of any record/information required to be retained by this paragraph.
5. The applicant shall conduct or have conducted, at a minimum, weekly comprehensive site inspections until completion of the proposed activity to ensure that effective BMPs are properly designed, implemented, and regularly maintained (i.e. repair, replace, add to, improve, implement more effective practice, etc.) to prevent/minimize to the maximum extent practicable discharges of pollutants in order to provide for the protection of water quality.
6. The applicant shall implement a project-specific or a detailed general BMP Plan prepared by an ADEM recognized qualified credentialed professional (QCP) applicable to and commensurate with activities of the type proposed. Effective BMPs shall be implemented and continually maintained for the prevention and control of turbidity, sediment, and other sources of pollutants, including measures to ensure permanent revegetation or cover of all disturbed areas, during and after project implementation.
7. The applicant shall implement a Spill Prevention Control and Countermeasures (SPCC) Plan for all temporary and permanent onsite fuel or chemical storage tanks or facilities consistent with the requirements of ADEM Admin. Code R. 335-6-6-.12(r), Section 311 of the Federal Water Pollution Control Act, and 40 CFR Part 112. The applicant shall maintain onsite or have readily available sufficient oil & grease absorbing material and flotation booms to contain and clean-up fuel or chemical spills and leaks. The applicant shall immediately notify ADEM after becoming aware of a significant visible oil sheen in the vicinity of the proposed activity. In the event of a spill with the potential to impact groundwater or other waters of the State, the applicant should immediately call the National Response Center at 1-800-424-8802 and the Alabama Emergency Management Agency at 1-800-843-0699. The caller should be prepared to report the name, address and telephone number of person reporting spill, the exact location of the spill, the company name and location, the material spilled, the estimated quantity, the source of spill, the cause of the spill, the nearest downstream water with the potential to receive the spill, and the actions taken for containment and cleanup.

8. Additional, effective BMPs shall be fully implemented and maintained on a daily basis as needed to prevent to the maximum extent possible potential discharges of pollutants from activities authorized by this certification, directly to or to a tributary or other stream segment, that have the potential to impact a State water currently considered impaired [waterbody is identified on the Alabama 303(d) list, a total maximum daily load (TMDL) has been finalized for the waterbody, and/or the waterbody is otherwise considered a Tier 1 water pursuant to ADEM Admin. Code Ch. 335-6-10]. The applicant shall inspect all BMPs as often as is necessary (daily if needed) for effectiveness, need for maintenance, and the need to implement additional, effective BMPs. Additional effective BMPs shall immediately be implemented as needed to ensure full compliance with ADEM requirements and the protection of water quality in the impaired waterbody.
9. All construction and worker debris (e.g. trash, garbage, etc.) must be immediately removed and disposed in an approved manner. If acceptable offsite options are unavailable, effective onsite provisions for collection and control of onsite worker toilet wastes or gray waste waters (i.e. port-o-let, shower washdown, etc.) must be implemented and maintained. Soil contaminated by paint or chemical spills, oil spills, etc. must be immediately cleaned up or be removed and disposed in an approved manner. Also, the applicant shall manage and dispose of any trash, debris, and solid waste according to applicable state and federal requirements.
10. All materials used as fill, or materials used for construction of structures in a waterbody, must be non-toxic, non-leaching, non-acid forming, and free of solid waste or other debris. This requirement does not preclude the use of construction materials authorized by the COE that are typically utilized in marine or other aquatic applications.
11. The applicant shall implement appropriate measures to minimize the potential for a decrease of instream dissolved oxygen concentrations as a result of project implementation. In addition, the applicant shall ensure that the activities authorized by this certification do not significantly contribute to or cause a violation of applicable water quality standards for instream dissolved oxygen.
12. The applicant shall implement appropriate, effective BMPs, including installation of floating turbidity screens as necessary, to minimize downstream turbidity to the maximum extent practicable. The applicant shall visually monitor or measure background turbidity. The applicant must suspend operations should turbidity resulting from project implementation exceed background turbidity by more than 50 NTUs. Operations may resume when the turbidity decreases to within acceptable levels.
13. The applicant shall evaluate, characterize, and as necessary, conduct regular analysis of any material proposed to be dredged/removed/disturbed in order to ensure that potential pollutants are not present in concentrations that could cause or contribute to a violation of applicable water quality standards. Information regarding the evaluation, characterization, or detailed results of any analyses shall be made available to ADEM upon request.
14. If upland disposal areas are utilized, the applicant shall be responsible for the condition of the disposal area, including the structural integrity of any embankments, until the disposal area is permanently reclaimed or adequately stabilized, to ensure that sediment and/or turbidity in the return water and/or stormwater runoff will not cause substantial visible contrast with the receiving waters, or result in an increase of 50 NTUs above background turbidity levels in the receiving waters.
15. For proposed activities associated with new or updated docks, marinas, multiple boat slips, floating docks, large or multiple piers, etc. or that increase the number of berthing areas, the applicant shall

ensure that these facilities are equipped with appurtenances (i.e. trash receptacles, receptacles for fish offal and carcasses, SPCC for fueling facilities, and a sewage pump out system where appropriate) as needed to protect water quality.

16. The applicant is encouraged to consider additional pollution prevention practices, low impact development (LID), and other alternatives to assist in complying with applicable regulatory requirements and possible reduction/elimination of pollutant discharges. LID is an approach to land development or re-development that works with nature to manage stormwater as close to its source as possible. LID employs principles such as preserving and recreating natural landscape features, minimizing effective imperviousness to create functional and appealing site drainage that treat stormwater as a resource rather than a waste product. There are many practices that have been used to implement these sustainable ideas such as bio-retention facilities, rain gardens, vegetated rooftops, rain barrels, and permeable pavements. By implementing LID principles and practices, water can be managed in a way that reduces the impact of built areas and promotes the natural movement of water within an ecosystem or watershed.
17. The applicant is encouraged to consider and implement a site design plan/strategy for post-construction hydrology to mimic pre-construction hydrology to the extent feasible, and for post-construction stormwater runoff peak flows and total stormwater volume to minimize potential downstream channel and stream bank erosion.
18. In recognition that projects are site specific in nature and conditions can change during project implementation, ADEM reserves the right to require the submission of additional information or require additional management measures to be implemented, as necessary on a case-by-case basis, in order to ensure the protection of water quality. Liability and responsibility for compliance with this certification are not delegable by contract or otherwise. The applicant shall ensure that any agent, contractor, subcontractor, or other person employed by, under contract, or paid a salary by the applicant complies with this certification. Any violations resulting from the actions of such person may be considered violations of this certification.
19. Issuance of a certification by ADEM neither precludes nor negates an operator/owner's responsibility or liability to apply for, obtain, or comply with other ADEM, federal, state, or local government permits, certifications, licenses, or other approvals. This certification does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to persons or property or invasion of other private rights, trespass, or any infringement of Federal, State, or local laws or regulations, and in no way purports to vest in the applicant title to lands now owned by the State of Alabama, nor shall it be construed as acquiescence by the State of Alabama of lands owned by the State of Alabama that may be in the applicant's possession.

Please feel free to contact me at 334/394-4304 in the event you have any questions.

Sincerely,



Anthony Scott Hughes, Chief
Field Operations Division

File: WQ401

c: Nashville District COE & EPA Region IV