

Health Care Providers' Action Guide



The following resources (clickable links) are provided as part of this Action Guide:

1. [Physical Activity Vital Sign](#)
2. [Exercise is Medicine® Rx form](#)
3. [Rx for Health series patient handouts](#)
4. [Community Resources handout template](#)
5. [Provider Coding and Billing Tips](#)
6. [Patient Initial Assessment form \(for exercise professionals\)](#)
7. [Patient Fitness Progress Report \(for exercise professionals\)](#)

ExeRxcise
is Medicine®

AMERICAN COLLEGE
of SPORTS MEDICINE®




How to Implement Exercise is Medicine® in Your Practice


The Exercise is Medicine® Health Care Providers' Action Guide provides simple and effective tools for integrating physical activity into daily practice. By promoting the right “dosage” of physical activity, you are prescribing a highly effective “drug” to your patients for the prevention, treatment and management of more than 40 of the most common chronic health conditions.

EIM and SBIRT (Screening, Brief Intervention and Referral to Treatment)

You likely have only a brief window of time for physical activity counseling (at times no more than 20-30 seconds) during a normal office or telehealth visit. You can utilize your staff, create tools within the electronic health record (EHR), and use the attached resources to:

1. Assess the patient’s level of physical activity and apply the American College of Sports Medicine (ACSM) exercise pre-participation screening algorithm;
2. Provide brief advice or counseling regarding the importance of regular physical activity, specifically relevant to that patient’s medical history and situation. Write a prescription for physical activity.
3. Refer the patient to physical activity resources (programs, facilities, certified exercise professionals or self-directed/online resources)







Assess the Physical Activity Levels of Your Patients

Assessing the current physical activity levels of your patients can be quickly achieved using the [Physical Activity Vital Sign \(PAVS\)](#). The PAVS consists of just two questions. These can be added to a health history form or incorporated into the EHR, filled out and scored prior to the provider exam and consultation. The PAVS provides a snapshot of whether your patient is meeting the current Physical Activity Guidelines of 150 minutes of moderate intensity activity each week and serves as a “prompt” for initiating a conversation about physical activity during a clinic visit. Patients with insufficient self-reported physical activity can be “flagged” so that you or other clinical staff can provide the appropriate advice and/or resources. You will also be able to track changes in their self-reported physical activity levels over time. Although light intensity PA (such as a casual walk) is not assessed by the PAVS, it positively impacts health and should be encouraged.

Physical Activity Vital Sign

1. On average, how many days per week do you engage in moderate to vigorous physical activity (like a brisk walk)? _____ days

2. On average, how many minutes do you engage in physical activity at this level? _____ minutes

Total minutes per week of physical activity (multiply #1 by #2) _____ minutes per week


Incorporate the Physical Activity Vital Sign (PAVS) into your electronic health record and patient intake forms. Calculations may be programmed and the sedentary patient flagged for referral or counseling.

Using the Physical Activity Vital Sign

National guidelines recommend 150 minutes per week of moderate intensity physical activity. That's just 2 1/2 hours out of 168 hours in a week! In place of moderate intensity activity, you can complete 75 minutes of vigorous intensity activity, or an equivalent combination of moderate and vigorous intensity physical activity.


- 1 minute of vigorous activity is equal to 2 minutes of moderate activity.
- You can perform activity in multiple “bouts” of any length throughout the day to add up to the recommended 150 minutes/week.

Although light intensity physical activity (such as a casual walk) is not assessed by the PAVS, it positively impacts health. Wherever they are on their physical activity journey, encourage patients to become and remain active. Promote active living throughout the day to reduce sedentary time (less screen time!).



What's Moderate Intensity?

- You can talk, but not sing, while performing the activity.
- Examples: brisk walking, slow biking, doubles tennis, various forms of dance, active home chores and gardening, etc.




What's Vigorous Intensity?

- Vigorous intensity: You can no longer talk easily during the activity and are somewhat out of breath.
- Examples: jogging, fast bicycling, singles tennis, aerobic exercise class, swimming laps, etc.

The Physical Activity Vital Sign – Additional Option

- A comprehensive assessment of physical activity should include muscle strengthening exercises as recommended by the Physical Activity Guidelines for Americans: Adults should do muscle strengthening activities that are moderate or high intensity and involve all major muscle groups on 2 or more days a week.
- If you wish to add a question on muscle strengthening activities, we recommend the following:



How many days a week do you perform muscle strengthening exercises, such as bodyweight exercises or resistance training? _____ days

Copyright © 2021 Exercise is Medicine

Downloadable pdf available at exerciseismedicine.org.



Determine Your Patient's Readiness to Change

Prior to prescribing physical activity to your patients, it's important to determine their "[Exercise Stage of Change.](#)" Some patients may only be ready for encouragement; some will be prepared to take steps towards reducing sedentary behavior and/or becoming more active; and others will be ready to receive a physical activity prescription and referral.

The following table provides a brief outline of the five stages of change and recommended steps for patients in each stage.

Stage of Change Action Step		
<p>Precontemplation (Patient has no intention to be physically active)</p>	<ul style="list-style-type: none"> • Discuss the health benefits of regular physical activity particularly related to that patient's unique health concerns and needs. • The individual is likely not ready to receive a physical activity prescription at this point. 	
<p>Contemplation (Patient knows they should exercise and is thinking about becoming physically active)</p>	<p>Independent</p> <p>Provide info. Write prescription. Refer to exercise professional.</p>	<p>Supervision Necessary</p> <p>Refer to clinical exercise physiologist, cardiac rehab or physical therapy as appropriate.</p>
	<p>Using a patient-centered approach, explore the patient's interests and concerns to help them identify meaningful reasons to become more active and choose how they'd like to begin. Provide basic guidance if the patient is receptive.</p>	
<p>Preparation (Patient is planning to become physically active in the near future)</p>	<p>Write prescription; refer to non-clinical exercise professionals.</p>	<p>Refer to clinical exercise physiologist, cardiac rehab or physical therapy as appropriate.</p>
<p>Action (Patient is meeting the physical activity guidelines but for less than 6 months)</p>	<p>Applaud efforts. Encourage continued exercise.</p>	<p>Encourage continued supervised exercise training.</p>
	<p>Discuss relapse prevention strategies: planning ahead for challenges, getting back to activity after a lapse.</p>	
<p>Maintenance (Patient is meeting the physical activity guidelines for the last 6 months or more)</p>	<p>Applaud efforts. Encourage continued exercise.</p>	<p>Encourage continued supervised exercise.</p>
	<p>Encourage them to spend time with people with similar healthy behaviors; continue to engage in healthy activities to cope with stress.</p>	




Prescribe Physical Activity to Your Patients

Step 1: Safety Screening

The American College of Sports Medicine provides recommendations for exercise [preparticipation screening](#). Previous pre-exercise screening protocols included risk factor identification; however, this has *not* been shown to reduce the risk of a cardiac event during exercise and creates unnecessary barriers for patients who will benefit most from a routine of light to moderate intensity physical activity.

ACSM Preparticipation Screening Guidelines



§Exercise Participation

Performing planned, structured physical activity at least 30 min at moderate intensity on at least 3 d · wk⁻¹ for at least the last 3 months

*Light Intensity Exercise

30–<40% HRR or $\dot{V}O_2R$, 2–<3 METS, RPE 9–11, an intensity that causes slight increases in HR and breathing

**Moderate Intensity Exercise

40–<60% HRR or $\dot{V}O_2R$, 3–<6 METS, RPE 12–13, an intensity that causes noticeable increases in HR and breathing

***Vigorous Intensity Exercise

≥60% HRR or $\dot{V}O_2R$, ≥6 METS, RPE ≥14, an intensity that causes substantial increases in HR and breathing

†Cardiovascular (CV) Disease

Cardiac, peripheral vascular, or cerebrovascular disease

‡Metabolic Disease

Type 1 and 2 diabetes mellitus

‡‡Signs and Symptoms

At rest or during activity. Includes pain, discomfort in the chest, neck, jaw, arms, or other areas that may result from ischemia; shortness of breath at rest or with mild exertion; dizziness or syncope; orthopnea or paroxysmal nocturnal dyspnea; ankle edema; palpitations or tachycardia; intermittent claudication; known heart murmur; unusual fatigue or shortness of breath with usual activities.

‡‡‡‡Medical Clearance

Approval from a healthcare professional to engage in exercise

¶ACSM Guidelines

See ACSM's *Guidelines for Exercise Testing and Prescription*, 10th edition, 2018

Copyright © 2019 Wolters Kluwer - All Rights Reserved

Riebe D, Franklin BA, Thompson PD, Garber CE, Whitfield GP, Magal M, Pescatello LS. Updating ACSM's Recommendations for Exercise Preparticipation Health Screening. *Medicine & Science in Sports & Exercise*. 2015; 47(11):2473–2479.

Step 2: Provide Brief Advice or a Basic Physical Activity Prescription

For patients who are in the Preparation, Action (or even Contemplation) stages, the next step is to provide them with a physical activity prescription.

The [Exercise is Medicine® Rx form](#) or EIM patient handouts may be given to the patient or scanned into the EHR and included in the after-visit summary (AVS). Indicate your recommendation on the PA Rx form itself or enter them directly in the pdf data fields. (Note the fields are not structured, mineable or trackable for doctors in a report). The simplest advice that you can provide is to participate in 150 minutes of moderate-intensity physical activity each week as recommended in the 2018 Physical Activity Guidelines for Americans. Studies have shown that simply providing a written prescription is an effective means of motivating patients to be more physically active, sometimes by as much as one hour per week.

Consider offering the Exercise is Medicine “[Sit Less. Move More.](#)” or “[Being Active for a Better Life](#)” handouts (or versions for [older adults](#), [teens](#) or [young children](#)). These are designed to help patients take manageable first steps toward reducing sedentary behavior and/or becoming more active. These may be particularly helpful for those who are in the Contemplation and Preparation stages. Patient resources can also be found through the ODPHP [Move Your Way](#) campaign based on the 2018 Physical Activity Guidelines for Americans. Older patients may appreciate the [National Institute on Aging Physical Activity Guide](#).

Step 3: Offer a More Advanced Exercise Prescription

If you take a few minutes to discuss becoming more physically active you may be able to bill for this service. See the [Provider Coding and Billing Tip Sheet](#). If you practice in a value-based health care model, there are likely incentives for improving patient health through access to healthy lifestyle interventions.

We encourage you to use the “[Rx for Health Series](#)” developed by EIM and leading experts from ACSM. This series consists of customized exercise prescriptions specifically developed for individuals with a variety of health conditions such as diabetes, cardiovascular disease, osteoarthritis and low back pain plus our basic exercise prescriptions for inactive patients. All can be downloaded from the [EIM website](#) and are available in Spanish.

Involve all the members of your clinical team to make EIM happen. This will make it easier on you and everyone in your practice!





Clinical Champion in partnership with Senior Health Care Administrator:

- Ensure that the [physical activity vital sign \(PAVS\)](#) is added to the patient health history questionnaire.
- Ensure that the informatics team builds a physical activity vital sign (PAVS) in the electronic health record (EHR).
- Work with informatics team or guide staff in uploading the [EIM Rx for Health series handouts](#) into the EHR to be selected by medical staff or included in order sets.



Practice Manager:

- Conduct needed staff training for EIM activation.
- Ensure that clinical/medical assistants are asking the PAVS in a standardized way and assisting with follow-up.
- Task someone in the practice to identify community-based PA resources and customize the [EIM Our Physical Activity Resources](#) handout.



Front Desk Staff:

- Provide health history form to patients in waiting area.
- Ensure that [EIM posters](#) or handouts are available in the waiting area.

Exercise is Medicine® | A Clinical TEAM Approach

Utilize all the members of your health care team to activate Exercise is Medicine® (EIM). The efficient use of staff allows everyone, especially busy health care providers, to integrate the routine assessment and promotion of physical activity (PA) into clinical care.



Clinical/Medical Assistant:

- Ensure that the PAVS is obtained and entered into the EHR.
- At the end of the visit, provide the patient with PA resources/education as directed by the health care provider, for example:
 - [EIM Physical Activity Rx form](#)
 - [EIM Rx for Health series handout\(s\)](#)
 - [EIM Our Physical Activity Resources handout](#)
 - Triage patients to community-based PA resources (programs, places, professionals), physical therapy, cardiac rehabilitation, etc.
- Assist with PA counseling and support.



Physician or Advanced Practice Provider:

- **Use the "5 As" approach:** ask, assess, advise, assist and arrange to promote PA.
 - **Ask** - about PA with every patient at every visit.
 - **Advise** - in a clear, strong, and personalized manner how PA will help the patient improve their health.
 - **Assess** - if the patient is willing to make a change in their PA at this time (stage of change)? Assess barriers to success, including previous attempts to increase PA - what worked and what didn't?
 - **Assist** - by providing counseling. Personalize recommendations to start, increase, or modify PA. Provide PA Rx. Provide info on PA resources or a PA referral.
 - **Arrange** - follow-up contact, in person or by phone.
- Let the patient know that you will ask about their PA on the next visit. At minimum, they should be sitting less and moving more! (["Sit Less. Move More." handout](#))

Invite your patient to find different ways to be active throughout the week, including activities of daily living, active transportation, lifestyle activities and planned exercise. Physical activity “snacks” over the course of the day (5,10,15 minutes) can all add up to achieving the recommended 150 minutes/week.

Physical Activity Spectrum



Provide Your Patients with a Physical Activity Referral

Several studies suggest that efforts by health care systems to increase patient physical activity are best achieved by transforming “patients” into “participants.” Refer your patient to programs, places, professionals, or recommend active transportation and self-directed resources (websites, phone apps, activity trackers) that will best support their needs and interests. Some patients may benefit from referral to physical therapy, cardiac or disease-specific rehabilitation programs prior to participation in community-based options.

Identify Community Programs

Task someone in your practice with building out your customized [Community Physical Activity Resource Guide](#) (template provided). This may include university or medical fitness facilities, health clubs, YMCAs, Jewish Community Centers, parks, trails, activity clubs and local recreation centers. Include facilities that offer specialty programs for individuals who may not typically feel comfortable at a gym such as evidence-based programming for older patients or those with various medical conditions (i.e. cancer, arthritis, pre-diabetes, Parkinson’s). National organizations like the American Heart Association, Arthritis Foundation, the Diabetes Prevention Program or American Cancer Society can often direct you to local programs or resources. [Park Rx America](#) offers an online referral program to help patients receive the mental and physical benefits of being active in nature.

If your health system or medical practice develops a partnership with a community-based fitness entity, the EHR can be programmed for easy referral. Patient navigators, health coaches or fitness facility coordinators can reach out to patients and assist with the process.

Find Qualified Exercise Professionals

Given the time limits of your busy practice, a qualified exercise professional (exercise physiologist, personal trainer or group exercise instructor) can extend the reach of your care by providing the expertise, supervision and motivation that will help patients adopt and maintain a habit of regular physical activity.

Unfortunately, the landscape of personal trainers and fitness instructors is confusing and often frustrating to sort through. The most well-respected national certifications are accredited by the National Commission for Certifying Agencies (NCCA). The NCCA also accredits certifications for professional health care roles such as diabetes care and education specialist (CDCES), registered dietitian (RD), emergency medical technician (EMT), and many others.

Some of the most recognized NCCA-accredited fitness certifications are:

- **American College of Sports Medicine (ACSM)**
- **American Council on Exercise (ACE)**
- The Cooper Clinic
- National Strength and Conditioning Association (NSCA)
- National Academy of Sports Medicine (NASM)

*Organizations in **bold** offer clinical certifications.*

Find NCCA accredited certifications at:

<http://www.credentialingexcellence.org/p/cm/ld/fid=121>

Questions to ask about an Exercise Professional



- Do they hold a four-year degree in Exercise Science, Kinesiology, Exercise Physiology or a health-related field from an accredited university?
- Do they have an accredited fitness or clinical fitness certification?
- Are they certified in CPR/AED?
- Do they have liability insurance?
- What is their experience with various types of clients and special populations?
- Will they provide feedback on your patient's initial evaluation, goals, progress? Let them know what works best for you. You can access sample [Initial Fitness Assessment/Physical Activity Plan](#) and [Patient Fitness Progress Report](#) templates for use by an EIM exercise professional.

What is the EIM Credential?

EIM has developed a credential that ensures that exercise professionals are properly prepared to work with referred patients. Exercise professionals may receive either a clinical or health fitness credential, contingent upon meeting certain education, certification and continuing education requirements. The EIM online course provides exercise professionals with additional education to help them effectively guide patients and includes information about:

- Common chronic medical conditions – physical activity Rx, modifications, precautions
- Behavioral support techniques to promote the adoption and maintenance of physical activity
- Health care essentials (HIPAA, documentation, communication, terminology, scope of practice)

Visit <http://www.acsm.org/get-stay-certified/getcertified/specialization/eim-credential> for more on the EIM Credential.



Promote Physical Activity in Your Clinic


Provide leadership to your patients and employees to help them develop healthy lifestyles. “Walk the talk” yourself. Data suggests that the physical activity habits of physicians influence their counselling practices in the clinic. To be a role model for your health care team and to gain the trust of your patients, show that being physically active is important to YOU!

Support the well-being of your health care team:

- Applaud employees’ efforts to take active lunches or breaks.
- Transform stairwells into a welcoming environment and use promotional tools to encourage stair use.
- Organize group participation in a fitness walk/run. Encourage and recognize walkers as much as joggers.
- Encourage healthy snacking around the office.
- Implement healthy lifestyle programs and challenges.
- Arrange discounts for memberships at the local gym.

Promote physical activity in your practice:

- Educate your support staff (including medical assistants) about the importance of physical activity and ask them to help you promote an active lifestyle for patients as well as themselves.
- Start your own “Walk with a Doc” program and invite staff to help. <https://walkwithadoc.org/>
- Display [Exercise is Medicine® flyers](#) or EIM patient handouts in the waiting room and exam rooms.



Become a Champion in Your Health System

As health systems move toward value-based care, EIM can be part of a population health approach by risk stratifying patients based on self-reported physical activity, thereby providing opportunities for healthy lifestyle interventions.

- Educate your colleagues on the benefits of prescribing physical activity for improved health outcomes. Use in-services or grand rounds. EIM can provide slides and materials.
- Talk to medical leadership and administrators about developing a systemic approach: integrating the Physical Activity Vital Sign into the EHR, developing a physical activity order set, and forming partnerships with local evidence-based physical activity programs and facilities: the EIM Solution.
- Consider launching EIM as a quality improvement project by collecting and analyzing data on workflow, patient outcomes, etc., and feeding it back to the team to optimize practice.
- Develop a collaborative team including providers, informatics staff, patient navigators, health coaches and others to develop efficient tools and pathways for assessment and referral.
- Write a brief article about your EIM work for your health system’s newsletter, email or website.

A [comprehensive toolkit](#) developed by EIM Greenville can be purchased through ACSM to help guide your efforts and can eliminate hours of work and unnecessary mistakes. Contact [EIM staff](#).

Exercise truly IS medicine.