


# Alcohol & Drug Use among South Dakota High Schoolers 2019




## Alcohol (by grade)


Percent of students who had their first drink of alcohol (more than a few sips) before the age of 13



Percent of students who had at least one drink of alcohol on one or more of the past 30 days




Percent of students who binge drank (4 or more drinks of alcohol in a row within a couple of hours for a female and 5 or more for males) in the past 30 days




## Marijuana (by grade)

Percent of Students who used Marijuana one or more times during their life




Percent of students who used marijuana one or more times in the past 30 days




## Other Drugs (by grade)


Percent of students who have taken a prescription pain drug (such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet) without a doctor's prescription or differently than how a doctor told them to use it one or more times during their life



Percent of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life



Percent who used over-the-counter drugs to get high one or more times during their life



Percent of students who used methamphetamines one or more times during their life




Percent who used heroin one or more times during their life



Percent who used a needle to inject any illegal drug into their body one or more times during their life



Percent who have been offered, sold, or given an illegal drug on school property in the past 12 months




# Trend Data for South Dakota High Schoolers 2019




## Alcohol

Percent of students who had at least one drink of alcohol on one or more of the past 30 days




Percent who had five or more drinks of alcohol in a row (males) 4 or more (female) in the past 30 days




## Marijuana

Percent who used marijuana one or more times during their life




Percent who used marijuana one or more times during the past 30 days




## Other Drugs

Percent who ever took a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it



Percent who ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life



Percent who ever used methamphetamines

