



# WEST VIRGINIA DIVISION OF NATURAL RESOURCES WILDLIFE RESOURCES SECTION MOUNDSVILLE BOARDING DOCK



Vicinity Map



## INDEX OF DRAWINGS

- C1 - EXISTING SITE AND DEMOLITION PLAN
- C2 - PROPOSED SITE PLAN
- C3 - BOARDING DOCK PROFILE
- C4 - SITE DETAILS AND STORM LINE PROFILES
- C5 - SITE DETAILS
- C6 - STRUCTURAL NOTES
- C7 - FLOATING DEBRIS BARRIER DETAILS
- C8 - GANGWAY LANDING SECTIONS AND DETAILS

REVISION NUMBER	REVISIONS	DATE	BY

*Roger J. Kennedy*  
 Roger J. Kennedy, P.E., A.S.T.  
 DATE: 4/21/16



**Chapman Technical Group**  
 AIRPORT PLANNING / DEVELOPMENT  
 ARCHITECTURE / INTERIOR DESIGN  
 CIVIL ENGINEERING / SITE DEVELOPMENT  
 ENVIRONMENTAL ENGINEERING  
 LANDSCAPE ARCHITECTURE  
 SURVEYING


www.chaptech.com  
 210 Sixth Avenue  
 St. Albans, West Virginia 25177 (304)727-5501  
 43 East Main Street  
 Buckhannon, West Virginia 26201 (304)728-8814  
 170 Adelaide Way, Suite 102  
 Martinsburg, West Virginia 25405 (304)626-1222

JOB NUMBER	1607D
SCALE	AS SHOWN
DRAWN BY	APRIL 2016
CHECKED BY	DND
DESIGNED BY	RJK
PROJECT NO.	CS
DATE	4/21/16

### EXISTING SITE LEGEND


---	7.5" ASP. CONC.
---	6" ASP. CONC.
---	4" ASP. CONC.
---	3" ASP. CONC.
---	2" ASP. CONC.
---	1" ASP. CONC.
---	0.5" ASP. CONC.
---	0.25" ASP. CONC.
---	0.125" ASP. CONC.
---	0.0625" ASP. CONC.
---	0.03125" ASP. CONC.
---	0.015625" ASP. CONC.
---	0.0078125" ASP. CONC.
---	0.00390625" ASP. CONC.
---	0.001953125" ASP. CONC.
---	0.0009765625" ASP. CONC.
---	0.00048828125" ASP. CONC.
---	0.000244140625" ASP. CONC.
---	0.0001220703125" ASP. CONC.
---	0.00006103515625" ASP. CONC.
---	0.000030517578125" ASP. CONC.
---	0.0000152587890625" ASP. CONC.
---	0.00000762939453125" ASP. CONC.
---	0.000003814697265625" ASP. CONC.
---	0.0000019073486328125" ASP. CONC.
---	0.00000095367431640625" ASP. CONC.
---	0.000000476837158203125" ASP. CONC.
---	0.0000002384185791015625" ASP. CONC.
---	0.00000011920928955078125" ASP. CONC.
---	0.000000059604644775390625" ASP. CONC.
---	0.0000000298023223876953125" ASP. CONC.
---	0.00000001490116119384765625" ASP. CONC.
---	0.000000007450580596923828125" ASP. CONC.
---	0.0000000037252902984619140625" ASP. CONC.
---	0.00000000186264514923095703125" ASP. CONC.
---	0.000000000931322574615478515625" ASP. CONC.
---	0.0000000004656612873077392578125" ASP. CONC.
---	0.00000000023283064365386962890625" ASP. CONC.
---	0.000000000116415321826934814453125" ASP. CONC.
---	0.00000000005820766091346740717578125" ASP. CONC.
---	0.000000000029103830456733703587890625" ASP. CONC.
---	0.0000000000145519152283668517929453125" ASP. CONC.
---	0.00000000000727595761418342589647265625" ASP. CONC.
---	0.000000000003637978807091712673236328125" ASP. CONC.
---	0.0000000000018189894035458563116181640625" ASP. CONC.
---	0.00000000000090949470177292815590820703125" ASP. CONC.
---	0.000000000000454747350886464077954103515625" ASP. CONC.
---	0.0000000000002273736754432320389770517578125" ASP. CONC.
---	0.00000000000011368683772161601948852587890625" ASP. CONC.
---	0.0000000000000568434188608009742442629453125" ASP. CONC.
---	0.00000000000002842170943040048712213147265625" ASP. CONC.
---	0.0000000000000142108547152002435610657328125" ASP. CONC.
---	0.00000000000000710542735760012178053286640625" ASP. CONC.
---	0.000000000000003552713678800060890266433203125" ASP. CONC.
---	0.00000000000000177635683940003044513321661015625" ASP. CONC.
---	0.00000000000000088817841970001522256660830578125" ASP. CONC.
---	0.000000000000000444089209850007611283304161540625" ASP. CONC.
---	0.0000000000000002220446049250038056416520807265625" ASP. CONC.
---	0.0000000000000001110223024625019028208260413140625" ASP. CONC.
---	0.0000000000000000555111512312509514104130208065717578125" ASP. CONC.
---	0.000000000000000027755575615625475705205104032890625" ASP. CONC.
---	0.00000000000000001387778780781273785255025201619453125" ASP. CONC.
---	0.000000000000000006938893903906368926275126100807265625" ASP. CONC.
---	0.00000000000000000346944695195318446313756305040328125" ASP. CONC.
---	0.000000000000000001734723475976592231687815752520161540625" ASP. CONC.
---	0.00000000000000000086736173798829611184390787626100807265625" ASP. CONC.
---	0.000000000000000000433680868994148055921939378126100807265625" ASP. CONC.
---	0.00000000000000000021684043449707402795969698906305040328125" ASP. CONC.
---	0.000000000000000000108420217248537013979848494502520161540625" ASP. CONC.
---	0.00000000000000000005421010862426850698992424725126100807265625" ASP. CONC.
---	0.000000000000000000027105054312134253494962123626100807265625" ASP. CONC.
---	0.0000000000000000000135525271560671272474810618126100807265625" ASP. CONC.
---	0.00000000000000000000677626357803356362374030906305040328125" ASP. CONC.
---	0.0000000000000000000033881317890167818118720154502520161540625" ASP. CONC.
---	0.00000000000000000000169406589450839090593607725126100807265625" ASP. CONC.
---	0.000000000000000000000847032947254195450296803626100807265625" ASP. CONC.
---	0.0000000000000000000004235164736272977251484018126100807265625" ASP. CONC.
---	0.000000000000000000000211758236813638887242005906305040328125" ASP. CONC.
---	0.00000000000000000000010587911840681944437100295302520161540625" ASP. CONC.
---	0.00000000000000000000005293955920340972218550147626100807265625" ASP. CONC.
---	0.00000000000000000000002646977960170486109277787626100807265625" ASP. CONC.
---	0.0000000000000000000000132348898008524305463889378126100807265625" ASP. CONC.
---	0.000000000000000000000006617444900426215231944468906305040328125" ASP. CONC.
---	0.0000000000000000000000033087224502131076159722344502520161540625" ASP. CONC.
---	0.000000000000000000000001654361225106553787873626100807265625" ASP. CONC.
---	0.000000000000000000000000827180612553276888818126100807265625" ASP. CONC.
---	0.000000000000000000000000413590306276638444440906305040328125" ASP. CONC.
---	0.00000000000000000000000020679515313831922222047626100807265625" ASP. CONC.
---	0.000000000000000000000000103397576569159111111018126100807265625" ASP. CONC.
---	0.00000000000000000000000005169878828457955555500906305040328125" ASP. CONC.
---	0.000000000000000000000000025849394142289777777502520161540625" ASP. CONC.
---	0.000000000000000000000000012924697071144888887626100807265625" ASP. CONC.
---	0.00000000000000000000000000646234853557224444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000323117426778362222218126100807265625" ASP. CONC.
---	0.0000000000000000000000000016155871338918111110906305040328125" ASP. CONC.
---	0.000000000000000000000000000787793569445905555502520161540625" ASP. CONC.
---	0.00000000000000000000000000039389678472295277775126100807265625" ASP. CONC.
---	0.00000000000000000000000000019694839236147638887626100807265625" ASP. CONC.
---	0.000000000000000000000000000098474196180738319444378126100807265625" ASP. CONC.
---	0.000000000000000000000000000049237098090369159222218126100807265625" ASP. CONC.
---	0.00000000000000000000000000002461854904518457711110906305040328125" ASP. CONC.
---	0.000000000000000000000000000012309274522592288887626100807265625" ASP. CONC.
---	0.00000000000000000000000000000615463726129614444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000000307731863064807222218126100807265625" ASP. CONC.
---	0.00000000000000000000000000000153865931532403611110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000007693296576620180555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000384664828831009027775126100807265625" ASP. CONC.
---	0.000000000000000000000000000000192332414415545138887626100807265625" ASP. CONC.
---	0.0000000000000000000000000000000961662072077772711110906305040328125" ASP. CONC.
---	0.00000000000000000000000000000004808310360388863555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000024041551801944311110906305040328125" ASP. CONC.
---	0.00000000000000000000000000000001202077590097220555502520161540625" ASP. CONC.
---	0.0000000000000000000000000000000060103879504861027775126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000300519397524305138887626100807265625" ASP. CONC.
---	0.000000000000000000000000000000001502596987621525711110906305040328125" ASP. CONC.
---	0.000000000000000000000000000000000751298493810763555502520161540625" ASP. CONC.
---	0.00000000000000000000000000000000037564924690538177775126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000018782462345269088887626100807265625" ASP. CONC.
---	0.000000000000000000000000000000000093912311726345444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000004695615586317222218126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000002347807793158611110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000000000117390389657930555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000000005869519482896527775126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000029347597414482638887626100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000014673798707241319444378126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000007336899353620659222218126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000003668449676810329611110906305040328125" ASP. CONC.
---	0.00000000000000000000000000000000000018342248384051654555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000000000091711241920257727775126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000458556209601288887626100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000022927810480064444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000001146390524003222218126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000573195262001611110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000000000000028659763100080555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000000000001432988155004027775126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000007164940775020138887626100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000003582470387510069444378126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000001791235193750503222218126100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000000089561759687502511110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000000000000000447808798437512555502520161540625" ASP. CONC.
---	0.000000000000000000000000000000000000000022390439921875638887626100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000000011195219960937819444378126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000000055976099804689222218126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000000027988049902344611110906305040328125" ASP. CONC.
---	0.000000000000000000000000000000000000000001399402495117230555502520161540625" ASP. CONC.
---	0.00000000000000000000000000000000000000000069970124755861538887626100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000034985062377930771110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000000000000000001749253118896538887626100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000000000874626559448269444378126100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000000000437313279724134722218126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000002186566398620673611110906305040328125" ASP. CONC.
---	0.0000000000000000000000000000000000000000000109328319931033660555502520161540625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000546641599655168327775126100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000000000002733207998275841638887626100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000000000001366603999137920819444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000068330199956896040722218126100807265625" ASP. CONC.
---	0.000000000000000000000000000000000000000000000341650999784480203611110906305040328125" ASP. CONC.
---	0.00000000000000000000000000000000000000000000017082549989224010180555502520161540625" ASP. CONC.
---	0.0000000000000000000000000000000000000000000000854127499461200507775126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000004270637497306002538887626100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000002135318748653001269444378126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000001067659374326500634722218126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000000533829687163250316911110906305040328125" ASP. CONC.
---	0.00000000000000000000000000000000000000000000000266914843581625159555502520161540625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000000133457421790812577775126100807265625" ASP. CONC.
---	0.00000000000000000000000000000000000000000000000066728710895406288887626100807265625" ASP. CONC.
---	0.0000000000000000000000000000000000000000000000003336435544770314444378126100807265625" ASP. CONC.
---	





- NOTES:**
1. FABRICATE TRANSITION PLATE/BRIDGE ASSEMBLY TO INCLUDE STOPS TO DOCK FRESHWATER DESIGN CRITERIA.
  2. LIVE LOAD: 20 LB/SF.
  3. MINIMUM FREEDOM: 8 INCHES (ROAD LOAD). MINIMUM FREEDOM: 12 INCHES (DESIGN LOAD). ADJUST THE FREEDOM TO THE BOTTOM OF THE GANTRY FOR A MINIMUM 12 INCH CLEARANCE TO THE BOTTOM OF THE GANTRY FLANGE.

**SECTION A**  
 SCALE:  
 HORIZ: 1" = 10'  
 VERT: 1" = 10'



DATE	14.08.09
BY	AS SHOWN
CHECKED BY	ELB
DESIGNED BY	DJK
PROJECT NO.	1000000000
SHEET NO.	C3



**BOARDING DOCK PROFILE**

**PROJECT INFORMATION**  
 West Virginia Division of Natural Resources  
 Wildlife Resources Section  
 Moundsville Boarding Dock

1010 Main St.  
 Buchanan, WV  
 25801-0001  
 Phone: 206-458-1111  
 Fax: 206-458-1112  
 www.chaptech.com

**Chapman Technical Group**  
 ARCHITECTURE / INTERIOR DESIGN  
 CIVIL / STRUCTURAL / GEOTECHNICAL  
 ENVIRONMENTAL ENGINEERING  
 LANDSCAPE ARCHITECTURE  
 SURVEYING

REVISIONS	DATE	BY