

individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Institute on Aging Special Emphasis Panel; GEMSSSTAR.  
*Date:* January 25, 2013.

*Time:* 8:00 a.m. to 6:00 p.m.  
*Agenda:* To review and evaluate grant applications.

*Place:* Bethesda Double Tree Hotel, 8120 Wisconsin Avenue, Bethesda, MD 20814.

*Contact Person:* Rebecca J. Ferrell, Ph.D., Scientific Review Officer, National Institute on Aging, Gateway Building Rm. 2C212, 7201 Wisconsin Avenue, Bethesda, MD 20892, 301-402-7703, [ferrellrj@mail.nih.gov](mailto:ferrellrj@mail.nih.gov).

(Catalogue of Federal Domestic Assistance Program Nos. 93.866, Aging Research, National Institutes of Health, HHS)

Dated: November 27, 2012.

**Melanie J. Gray,**

*Program Analyst, Office of Federal Advisory Committee Policy.*

[FR Doc. 2012-29090 Filed 11-30-12; 8:45 am]

BILLING CODE 4140-01-P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### National Institutes of Health

#### National Institute of Biomedical Imaging and Bioengineering; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Institute of Biomedical Imaging and Bioengineering Special Emphasis Panel; 2013/05 Health Disparities SBIR.

*Date:* January 29, 2013.

*Time:* 10:00 a.m. to 4:00 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institutes of Health, Two Democracy Plaza, 951, 6707 Democracy Boulevard, Bethesda, MD 20892, (Telephone Conference Call).

*Contact Person:* Ruixia Zhou, Ph.D., Scientific Review Officer, 6707 Democracy Boulevard, Democracy Two Building, Suite 957, Bethesda, MD 20892, 301-496-4773, [zhou@mail.nih.gov](mailto:zhou@mail.nih.gov).

*Name of Committee:* National Institute of Biomedical Imaging and Bioengineering Special Emphasis Panel; MSM Program Review.

*Date:* February 26, 2013.

*Time:* 10:00 a.m. to 5:00 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institutes of Health, Two Democracy Plaza, 951, 6707 Democracy Boulevard, Bethesda, MD 20892, (Virtual Meeting).

*Contact Person:* Manana Sukhareva, Ph.D., Scientific Review Officer, National Institute of Biomedical Imaging and Bioengineering, National Institutes of Health, 6707 Democracy Boulevard, Suite 959, Bethesda, MD 20892, 301-451-3397, [sukharem@mail.nih.gov](mailto:sukharem@mail.nih.gov).

Dated: November 27, 2012.

**David Clary,**

*Program Analyst, Office of Federal Advisory Committee Policy.*

[FR Doc. 2012-29089 Filed 11-30-12; 8:45 am]

BILLING CODE 4140-01-P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### National Institutes of Health

#### National Institute of Dental & Craniofacial Research; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Institute of Dental and Craniofacial Research Special Emphasis Panel.

*Date:* January 15, 2013.

*Time:* 10:00 a.m. to 3:00 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institutes of Health, One Democracy Plaza, 6701 Democracy Boulevard, Bethesda, MD 20892.

*Contact Person:* Marilyn Moore-Hoon, Ph.D., Scientific Review Officer, Scientific Review Branch, National Institute of Dental and Craniofacial Research, 6701 Democracy Blvd., Rm. 676, Bethesda, MD 20892-4878, 301-594-4861, [mooremar@nidcr.nih.gov](mailto:mooremar@nidcr.nih.gov).

*Name of Committee:* National Institute of Dental and Craniofacial Research Special Emphasis Panel; Review of NIDCR T32

(PAR10-171) and T90/R90 (PAR10-170) Grant Applications.

*Date:* February 12, 2013.

*Time:* 8:00 a.m. to 5:00 p.m.

*Agenda:* To review and evaluate grant applications.

*Place:* National Institute of Dental and Craniofacial Research 602, 6701 Democracy Blvd., Bethesda, MD 20892.

*Contact Person:* Raj K. Krishnaraju, Ph.D., MS, Scientific Review Officer, Scientific Review Branch, National Institute of Dental & Craniofacial Research, National Institutes of Health, 45 Center Dr. Room 4AN 32J, Bethesda, MD 20892, 301-594-4864, [kkrishna@nidcr.nih.gov](mailto:kkrishna@nidcr.nih.gov).

(Catalogue of Federal Domestic Assistance Program Nos. 93.121, Oral Diseases and Disorders Research, National Institutes of Health, HHS)

Dated: November 27, 2012.

**David Clary,**

*Program Analyst, Office of Federal Advisory Committee Policy.*

[FR Doc. 2012-29088 Filed 11-30-12; 8:45 am]

BILLING CODE 4140-01-P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

### Substance Abuse and Mental Health Services Administration

#### Current List of Laboratories and Instrumented Initial Testing Facilities Which Meet Minimum Standards To Engage in Urine Drug Testing for Federal Agencies

**AGENCY:** Substance Abuse and Mental Health Services Administration, HHS.

**ACTION:** Notice.

**SUMMARY:** The Department of Health and Human Services (HHS) notifies Federal agencies of the Laboratories and Instrumented Initial Testing Facilities (IITF) currently certified to meet the standards of the Mandatory Guidelines for Federal Workplace Drug Testing Programs (Mandatory Guidelines). The Mandatory Guidelines were first published in the **Federal Register** on April 11, 1988 (53 FR 11970), and subsequently revised in the **Federal Register** on June 9, 1994 (59 FR 29908); September 30, 1997 (62 FR 51118); April 13, 2004 (69 FR 19644); November 25, 2008 (73 FR 71858); December 10, 2008 (73 FR 75122); and on April 30, 2010 (75 FR 22809).

A notice listing all currently certified Laboratories and Instrumented Initial Testing Facilities (IITF) is published in the **Federal Register** during the first week of each month. If any Laboratory/IITF's certification is suspended or revoked, the Laboratory/IITF will be omitted from subsequent lists until such

time as it is restored to full certification under the Mandatory Guidelines.

If any Laboratory/IITF has withdrawn from the HHS National Laboratory Certification Program (NLCP) during the past month, it will be listed at the end and will be omitted from the monthly listing thereafter.

This notice is also available on the Internet at <http://www.workplace.samhsa.gov> and <http://www.drugfreeworkplace.gov>.

**FOR FURTHER INFORMATION CONTACT:** Mrs. Giselle Hersh, Division of Workplace Programs, SAMHSA/CSAP, Room 2-1042, One Choke Cherry Road, Rockville, Maryland 20857; 240-276-2600 (voice), 240-276-2610 (fax).

**SUPPLEMENTARY INFORMATION:** The Mandatory Guidelines were initially developed in accordance with Executive Order 12564 and section 503 of Public Law 100-71. The "Mandatory Guidelines for Federal Workplace Drug Testing Programs", as amended in the revisions listed above, requires strict standards that Laboratories and Instrumented Initial Testing Facilities (IITF) must meet in order to conduct drug and specimen validity tests on urine specimens for Federal agencies.

To become certified, an applicant Laboratory/IITF must undergo three rounds of performance testing plus an on-site inspection. To maintain that certification, a Laboratory/IITF must participate in a quarterly performance testing program plus undergo periodic, on-site inspections.

Laboratories and Instrumented Initial Testing Facilities (IITF) in the applicant stage of certification are not to be considered as meeting the minimum requirements described in the HHS Mandatory Guidelines. A Laboratory/IITF must have its letter of certification from HHS/SAMHSA (formerly: HHS/NIDA) which attests that it has met minimum standards.

In accordance with the Mandatory Guidelines dated November 25, 2008 (73 FR 71858), the following Laboratories and Instrumented Initial Testing Facilities (IITF) meet the minimum standards to conduct drug and specimen validity tests on urine specimens:

**Instrumented Initial Testing Facilities (IITF)**

None.

**Laboratories**

ACL Laboratories, 8901 W. Lincoln Ave., West Allis, WI 53227, 414-328-7840/800-877-7016. (Formerly: Bayshore Clinical Laboratory.)

ACM Medical Laboratory, Inc., 160 Elmgrove Park, Rochester, NY 14624, 585-429-2264.

Advanced Toxicology Network, 3560 Air Center Cove, Suite 101, Memphis, TN 38118, 901-794-5770/888-290-1150.

Aegis Analytical Laboratories, 345 Hill Ave., Nashville, TN 37210, 615-255-2400. (Formerly: Aegis Sciences Corporation, Aegis Analytical Laboratories, Inc.)

Alere Toxicology Services, 1111 Newton St., Gretna, LA 70053, 504-361-8989/800-433-3823. (Formerly: Kroll Laboratory Specialists, Inc., Laboratory Specialists, Inc.)

Alere Toxicology Services, 450 Southlake Blvd., Richmond, VA 23236, 804-378-9130. (Formerly: Kroll Laboratory Specialists, Inc., Scientific Testing Laboratories, Inc.; Kroll Scientific Testing Laboratories, Inc.)

Baptist Medical Center-Toxicology Laboratory, 11401 I-30, Little Rock, AR 72209-7056, 501-202-2783. (Formerly: Forensic Toxicology Laboratory Baptist Medical Center.)

Clinical Reference Lab, 8433 Quivira Road, Lenexa, KS 66215-2802, 800-445-6917.

Doctors Laboratory, Inc., 2906 Julia Drive, Valdosta, GA 31602, 229-671-2281.

DrugScan, Inc., P.O. Box 2969, 1119 Mearns Road, Warminster, PA 18974, 215-674-9310.

ElSohly Laboratories, Inc., 5 Industrial Park Drive, Oxford, MS 38655, 662-236-2609.

Gamma-Dynacare Medical Laboratories\*, A Division of the Gamma-Dynacare Laboratory Partnership, 245 Pall Mall Street, London, ONT, Canada N6A 1P4, 519-679-1630.

Laboratory Corporation of America Holdings, 7207 N. Gessner Road, Houston, TX 77040, 713-856-8288/800-800-2387.

Laboratory Corporation of America Holdings, 69 First Ave., Raritan, NJ 08869, 908-526-2400/800-437-4986. (Formerly: Roche Biomedical Laboratories, Inc.)

Laboratory Corporation of America Holdings, 1904 Alexander Drive, Research Triangle Park, NC 27709, 919-572-6900/800-833-3984. (Formerly: LabCorp Occupational Testing Services, Inc., CompuChem Laboratories, Inc.; CompuChem Laboratories, Inc., A Subsidiary of Roche Biomedical Laboratory; Roche CompuChem Laboratories, Inc., A Member of the Roche Group.)

Laboratory Corporation of America Holdings, 1120 Main Street,

Southaven, MS 38671, 866-827-8042/800-233-6339, (Formerly: LabCorp Occupational Testing Services, Inc.; MedExpress/National Laboratory Center.)

LabOne, Inc. d/b/a Quest Diagnostics, 10101 Renner Blvd., Lenexa, KS 66219, 913-888-3927/800-873-8845. (Formerly: Quest Diagnostics Incorporated; LabOne, Inc.; Center for Laboratory Services, a Division of LabOne, Inc.)

Maxxam Analytics\*, 6740 Campobello Road, Mississauga, ON, Canada L5N 2L8, 905-817-5700. (Formerly: Maxxam Analytics Inc., NOVAMANN (Ontario), Inc.)

MedTox Laboratories, Inc., 402 W. County Road D, St. Paul, MN 55112, 651-636-7466/800-832-3244.

MetroLab-Legacy Laboratory Services, 1225 NE 2nd Ave., Portland, OR 97232, 503-413-5295/800-950-5295.

Minneapolis Veterans Affairs Medical Center, Forensic Toxicology Laboratory, 1 Veterans Drive, Minneapolis, MN 55417, 612-725-2088.

National Toxicology Laboratories, Inc., 1100 California Ave., Bakersfield, CA 93304, 661-322-4250/800-350-3515.

One Source Toxicology Laboratory, Inc., 1213 Genoa-Red Bluff, Pasadena, TX 77504, 888-747-3774. (Formerly: University of Texas Medical Branch, Clinical Chemistry Division; UTMB Pathology-Toxicology Laboratory.)

Pacific Toxicology Laboratories, 9348 DeSoto Ave., Chatsworth, CA 91311, 800-328-6942. (Formerly: Centinela Hospital Airport Toxicology Laboratory.)

Pathology Associates Medical Laboratories, 110 West Cliff Dr., Spokane, WA 99204, 509-755-8991/800-541-7891x7.

Phamatech, Inc., 10151 Barnes Canyon Road, San Diego, CA 92121, 858-643-5555.

Quest Diagnostics Incorporated, 1777 Montreal Circle, Tucker, GA 30084, 800-729-6432. (Formerly: SmithKline Beecham Clinical Laboratories; SmithKline Bio-Science Laboratories.)

Quest Diagnostics Incorporated, 400 Egypt Road, Norristown, PA 19403, 610-631-4600/877-642-2216. (Formerly: SmithKline Beecham Clinical Laboratories; SmithKline Bio-Science Laboratories.)

Quest Diagnostics Incorporated, 8401 Fallbrook Ave., West Hills, CA 91304, 818-737-6370, (Formerly: SmithKline Beecham Clinical Laboratories.)

Redwood Toxicology Laboratory, 3650 Westwind Blvd., Santa Rosa, CA 95403, 707-570-4434.

South Bend Medical Foundation, Inc.,  
530 N. Lafayette Blvd., South Bend,  
IN 46601, 574-234-4176 x1276.

Southwest Laboratories, 4625 E. Cotton  
Center Boulevard, Suite 177, Phoenix,  
AZ 85040, 602-438-8507/800-279-  
0027.

STERLING Reference Laboratories, 2617  
East L Street, Tacoma, Washington  
98421, 800-442-0438.

Toxicology & Drug Monitoring  
Laboratory, University of Missouri  
Hospital & Clinics, 301 Business Loop  
70 West, Suite 208, Columbia, MO  
65203, 573-882-1273.

US Army Forensic Toxicology Drug  
Testing Laboratory, 2490 Wilson St.,  
Fort George G. Meade, MD 20755-  
5235, 301-677-7085.

\* The Standards Council of Canada (SCC) voted to end its Laboratory Accreditation Program for Substance Abuse (LAPSA) effective May 12, 1998. Laboratories certified through that program were accredited to conduct forensic urine drug testing as required by U.S. Department of Transportation (DOT) regulations. As of that date, the certification of those accredited Canadian laboratories will continue under DOT authority. The responsibility for conducting quarterly performance testing plus periodic on-site inspections of those LAPSA-accredited laboratories was transferred to the U.S. HHS, with the HHS' NLCP contractor continuing to have an active role in the performance testing and laboratory inspection processes. Other Canadian laboratories wishing to be considered for the NLCP may apply directly to the NLCP contractor just as U.S. laboratories do.

Upon finding a Canadian laboratory to be qualified, HHS will recommend that DOT certify the laboratory (**Federal Register**, July 16, 1996) as meeting the minimum standards of the Mandatory Guidelines published in the **Federal Register** on April 30, 2010 (75 FR 22809). After receiving DOT certification, the laboratory will be included in the monthly list of HHS-certified laboratories and participate in the NLCP certification maintenance program.

**Janine Denis Cook,**

*Chemist, Division of Workplace Programs,  
Center for Substance Abuse Prevention,  
SAMHSA.*

[FR Doc. 2012-29086 Filed 11-30-12; 8:45 am]

**BILLING CODE 4160-20-P**

**DEPARTMENT OF HOMELAND  
SECURITY**

**Coast Guard**

[Docket No. USCG-2012-0839]

**Mobile Offshore Drilling Unit (MODU)  
Electrical Equipment Certification  
Guidance**

**AGENCY:** Coast Guard, DHS.

**ACTION:** Notice of policy.

**SUMMARY:** The Coast Guard is providing guidance regarding electrical equipment installed in hazardous areas on foreign-flagged Mobile Offshore Drilling Units (MODUs) that have never operated, but intend to operate, on the U.S. Outer Continental Shelf (OCS). Chapter 6 of the 2009 version of the International Maritime Organization (IMO) Code for the Construction and Equipment of Mobile Offshore Drilling Units (2009 IMO MODU Code) sets forth standards for testing and certifying electrical equipment installations on MODUs. The Coast Guard is considering issuing a rule that will implement Chapter 6 of the 2009 IMO MODU Code and that will be applicable to foreign-flagged MODUs that have never operated, but intend to operate, on the U.S. OCS. In the interim, the Coast Guard recommends that owners and operators of foreign-flagged MODUs that have never operated, but intend to operate on the U.S. OCS, voluntarily comply with Chapter 6 of the 2009 IMO MODU Code.

**DATES:** The policy outlined in this document is effective December 3, 2012.

**ADDRESSES:** The documents referenced in this notice and published by the International Maritime Organization, International Electrotechnical Commission, or International Organization for Standardization are available for purchase from the publishers. For more information on where to obtain copies these documents, please call or email the Coast Guard point of contact listed in the **FOR FURTHER INFORMATION CONTACT** section below.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this notice or the policy, call or email Mr. Rodolfo Sierra, Systems Engineering Division (CG-ENG-3), (202) 372-1381, [Rodolfo.N.Sierra@uscg.mil](mailto:Rodolfo.N.Sierra@uscg.mil). If you have questions on viewing material in the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

**SUPPLEMENTARY INFORMATION:**

**Background**

The explosion and fire on the MODU DEEPWATER HORIZON underscored the need to address electrical equipment that may present an ignition source for gases or vapors encountered during oil drilling exploration. On September 9, 2011 the Coast Guard published the final action memo (FAM) by the Commandant on the recommendations of its investigation into the explosion, fire, sinking and loss of eleven crew members on the MODU DEEPWATER HORIZON. You may view a copy of the FAM online by going to the Coast Guard's Web site at <http://uscg.mil/hq/cg5/cg545> and clicking on the Deepwater Horizon-exhibits-transcripts-video link. The FAM called for the Coast Guard to evaluate whether MODUs engaged in U.S. OCS activities should be subject to independent testing and certification of electrical equipment installations in hazardous areas. Chapter 6 of the 2009 IMO MODU Code includes this independent testing and certification standard for electrical equipment installations in hazardous areas. However, under current Coast Guard regulations for foreign MODUs (33 CFR 143.207), the Coast Guard accepts the 1979 IMO MODU Code, which provides foreign flag Administrations the flexibility to accept less stringent standards than the 2009 IMO MODU Code, relating to the testing and certification of electrical equipment installations in hazardous areas. The Coast Guard completed its evaluation and has determined that U.S. implementation of the stricter standards contained in Chapter 6 of the 2009 IMO MODU Code is warranted.

The 2009 IMO MODU Code recommends that electrical installations in hazardous areas be tested and certified in accordance with the International Electrotechnical Commission (IEC) 60079 series of standard(s). The IEC offers an international certification system called the "Certification to Standards Relating to Equipment for use in Explosive Atmospheres" (IECEX). The IECEX system requires full compliance with the applicable IEC 60079 series of standard(s), including the testing of equipment by an independent laboratory. Approval under the IECEX system involves an explosive atmospheres (Ex) Certification Body (ExCB) and an Ex Testing Laboratory (ExTL) that have been accepted into the IECEX system after meeting competency requirements established by the International Organization for Standardization (ISO)/IEC Standard 17025 and related IECEX Operational