

Links to Recent First Episode and Ultra High Risk Articles

EDIPPP Publications

Adolescent Psychiatry Special Issue:
<http://www.eurekaselect.com/96997/issue/2>

Articles

Hot Topic: Youth at Risk for Psychosis (Guest Editors: Steven Adelsheim and David Graeber)] Free

Author(s): Steven Adelsheim and David Graeber
Pages: 109-111 (3)

Early Detection, Intervention, and Prevention of Psychosis Program: Rationale, Design, and Sample Description

Author(s): William R. McFarlane, William L. Cook, Donna Downing, Anita Ruff, Sarah Lynch, Steven Adelsheim, Roderick Calkins, Cameron S. Carter, Barbara Cornblatt and Karen Milner
Pages: 112-124 (13)
Price: \$58

Early Intervention in Psychosis: Rationale, Results and Implications for Treatment of Adolescents at Risk

Author(s): William R. McFarlane, Barbara Cornblatt and Cameron S. Carter
Pages: 125-139 (15)

A Community Outreach and Education Model for Early Identification of Mental Illness in Young People

Author(s): Anita Ruff, William R. McFarlane, Donna Downing, William Cook and Kristen Woodberry
Pages: 140-145 (6)

In the First Person: A Window into the Experience of Early Psychosis and Recovery

Author(s): Margaret Migliorati, Melina Salvador, Elizabeth Spring-Nichols, Sarah Lynch, Tamara Sale and Steven Adelsheim
Pages: 146-152 (7)

The Assessment of Attenuated Psychotic Symptoms in Adolescents: Concepts, Practical Approaches and Prediction of Risk

Author(s): Rahel Pearson, Barbara Stuart and Rachel Loewy
Pages: 153-162 (10)

Environmental Risk and Protective Factors and Their Influence on the Emergence of Psychosis

Author(s): Danielle A. Schlosser, Rahel Pearson, Veronica B. Perez and Rachel L. Loewy
Pages: 163-171 (9)

Cognitive Behavioral Therapy for Adolescents at Clinical High Risk for Psychosis
Author(s): Kate V. Hardy and Rachel Loewy
Pages: 172-181 (10)

Family Psychoeducation in Clinical High Risk and First-Episode Psychosis
Author(s): William R. McFarlane, Sarah Lynch and Ryan Melton
Pages: 182-194 (13)

Pharmacologic Treatments in “Prodromal Psychosis:” Making Clinical Decisions in the Absence of a Consensus
Author(s): Demian Rose and David Graeber
Pages: 195-208 (14)

EDIPPP Clinical and Functional Outcomes

McFarlane WR, Levin B, Travis L, Lucas FL, Lynch S, Verdi M, et al. Clinical and Functional Outcomes After 2 Years in the Early Detection and Intervention for the Prevention of Psychosis Multisite Effectiveness Trial. *Schizophrenia Bulletin*. 2014.

Full text:

<http://schizophreniabulletin.oxfordjournals.org/content/early/2014/07/25/schbul.sbu108.full.pdf+html>

EDIPPP Community Outreach

Joly, B., Williamson, M., Bernard, K., Mittal, P., & Pratt, J. (2011). Evaluating Community Outreach Efforts: A Framework and Approach Based on a National Mental Health Demonstration Project. *Journal Of MultiDisciplinary Evaluation*, 8(17), 46-56. Retrieved from

http://journals.sfu.ca/jmde/index.php/jmde_1/article/view/327

Joly BM, Pukstas BK, Elbaum WM, et al: Promoting Early Detection of Psychosis: The Role of Community Outreach. *Journal of Public Mental Health* 11:195-208, 2012

<http://www.emeraldinsight.com/doi/abs/10.1108/17465721211289374>

PIER Program Outcomes

McFarlane WR, Susser E, McCleary R, et al: Reduction in Incidence of Hospitalizations for Psychotic Episodes Through Early Identification and Intervention. *Psychiatric Services in Advance* [serial on the Internet] doi: 10.1176/appi.ps.201300336, 2014
<http://ps.psychiatryonline.org/Article.aspx?ArticleID=1850040>

McFarlane WR, Cook WL, Downing D, et al: Portland Identification and Early Referral: a community-based system for identifying and treating youths at high risk of psychosis. *Psychiatric Services* 61:512-515, 2010
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2868258/>

Clinical High Risk for Psychosis

Bechdolf A, Wagner M, Ruhrmann S, Harrigan S, Putzfeld V, Pukrop R, et al. Preventing progression to first-episode psychosis in early initial prodromal states. *The British Journal of Psychiatry*. 2012;200(1):22-9.
<http://bjp.rcpsych.org/content/200/1/22.long>

Brown AS, McGrath JJ. The Prevention of Schizophrenia. *Schizophr Bull*. 2011;37(2):257-61.
<http://schizophreniabulletin.oxfordjournals.org/content/37/2/257.short>

Cannon TD, Cadenhead K, Cornblatt B, Woods SW, Addington J, Walker E, et al. Prediction of psychosis in youth at high clinical risk. *Arch Gen Psychiatry*. 2008;65(1):28-37.
<http://archpsyc.jamanetwork.com/article.aspx?articleid=482556>

Fusar-Poli P, Borgwardt SJ, Bechdolf A, Addington J, Riecher-Rossler A, Schultze-Lutter F, et al. The psychosis high-risk state: a comprehensive state-of-the-art review. *JAMA Psychiatry*. 2013;70(1):107-20.
<http://archpsyc.jamanetwork.com/article.aspx?articleid=1392281>

Fusar-Poli P, Nelson B, Valmaggia L, Yung AR, McGuire PK. Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. *Schizophrenia Bulletin*. 2014;40(1):120-31.
<http://schizophreniabulletin.oxfordjournals.org/content/40/1/120.abstract>

Loewy RL, Pearson R, Vinogradov S, Bearden CE, Cannon TD. Psychosis risk screening with the Prodromal Questionnaire--brief version (PQ-B). *Schizophr Res*. 2011 Jun;129(1):42-6. doi: 10.1016/j.schres.2011.03.029. Epub 2011 Apr 20.
<http://www.ncbi.nlm.nih.gov/pubmed/21511440>

van der Gaag M, Smit F, Bechdolf A, French P, Linszen DH, Yung AR, et al. Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12 month and longer-term follow-ups. *Schizophr Res.* 2013;149(1-3):56-62.
<http://www.sciencedirect.com/science/article/pii/S0920996413003484>

Treatment Intervention and Early Psychosis

Addington DE, McKenzie E, Norman R, Wang J, Bond GR. Essential Evidence-Based Components of First-Episode Psychosis Services. *Psychiatr Serv.* 2013;64(5):452-7.
<http://journals.psychiatryonline.org/article.aspx?articleid=1567483>

Mossaheb N, Schäfer MR, Schlögelhofer M, Klier CM, Cotton SM, McGorry PD, et al. Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective? *Schizophr Res.* 2013;148(1-3):163-7.

<http://www.sciencedirect.com/science/article/pii/S092099641300282X>

Wykes T. Cognitive-behaviour therapy and schizophrenia. *Evidence Based Mental Health.* 2014;17(3):67-8.

<http://ebmh.bmjjournals.org/citmgr?gca=ebmental%3B17%2F3%2F67>

Family Intervention and Psychosis

Christenson JD, Crane DR, Bell KM, Beer AR, Hillin HH. Family Intervention and Health Care Costs for Kansas Medicaid Patients with Schizophrenia. *J Marital Fam Ther.* 2014;40(3):272-86.

<http://onlinelibrary.wiley.com/doi/10.1111/jmft.12021/abstract>

Kopelowicz A, Zarate R, Wallace CJ, Liberman RP, Lopez SR, Mintz J. The ability of multifamily groups to improve treatment adherence in Mexican Americans with schizophrenia. *Arch Gen Psychiatry.* 2012;69(3):265-73.

<http://archpsyc.jamanetwork.com/article.aspx?articleid=1107409>

Lucksted A, McFarlane W, Downing D, Dixon L. Recent Developments in Family Psychoeducation as an Evidence-Based Practice. *J Marital Fam Ther.* 2012;38(1):101-21.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1752-0606.2011.00256.x/abstract>

Hospitalization and Relapse in Psychosis

Addington DE, Patten SB, McKenzie E, Addington J. Relationship Between Relapse and Hospitalization in First-Episode Psychosis. Psychiatr Serv. 2013;64(8):796-9.

<http://ps.psychiatryonline.org/article.aspx?articleid=1684797>

Addington DE, McKenzie E, Wang J. Validity of Hospital Admission as an Outcome Measure of Services for First-Episode Psychosis. Psychiatr Serv. 2012;63(3):280-2.

<http://ps.psychiatryonline.org/article.aspx?articleid=1028619>

Psychosis and Trauma

Dvir Y, Denietolis B, Frazier JA. Childhood Trauma and Psychosis. Child Adolesc Psychiatr Clin N Am. 2013;22(4):629-41.

<http://www.ncbi.nlm.nih.gov/pubmed/24012077>

Read J, van Os J, Morrison AP, Ross CA. Childhood trauma, psychosis and schizophrenia: a literature review with theoretical and clinical implications. Acta Psychiatr Scand. 2005;112(5):330-50.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1600-0447.2005.00634.x/abstract;jsessionid=4E8D471F8C5482699650292B0C2B2E0.A.f03t01>

van Nierop M, Lataster T, Smeets F, Gunther N, van Zelst C, de Graaf R, et al. Psychopathological Mechanisms Linking Childhood Traumatic Experiences to Risk of Psychotic Symptoms: Analysis of a Large, Representative Population-Based Sample. Schizophrenia Bulletin. 2014;40(Suppl 2):S123-S30.

http://schizophreniabulletin.oxfordjournals.org/content/40/Suppl_2/S123.abstract

Economic Impact of Early Intervention

Angelo C, Vittorio M, Anna M, Antonio P. Cost-effectiveness of treating first-episode psychosis: five-year follow-up results from an Italian early intervention programme. Early intervention in psychiatry. 2011;5(3):203-11.

<http://onlinelibrary.wiley.com/doi/10.1111/j.1751-7893.2011.00261.x/abstract>

Valmaggia LR, McCrone P, Knapp M, Woolley JB, Broome MR, Tabraham P, et al. Economic impact of early intervention in people at high risk of psychosis. Psychol Med. 2009;39(10):1617-26.

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=6161680&fileId=S0033291709005613>

